IN THE CLAIMS:

- 1. (Currently amended) A water-soluble composition for removing petroleum residue from a substrate, said composition comprising:
 - (a) from about 10% to about 60% by weight of an aromatic ester;
 - (b) from about 30% to about 60% by weight of an aliphatic ester;
 - (c) from 0% to about 15% by weight of a co-solvent;
 - (d) from 0% to about 10% by weight of one of a cyclic terpene and a terpenoid;
 - (e) from 0% to about 1% by weight of an odor-masking agent; and
 - (f) from 0% to about 20% by weight of a nonionic surfactant; and
 - (g) wherein the petroleum residue consists essentially of asphalt, bitumen, or a combination thereof.
- 2. (Original) The composition according to Claim 1, wherein the aromatic ester comprises a benzoic acid ester.
- 3. (Original) The composition according to Claim 2, wherein the benzoic acid ester comprises an alkylated benzoic acid ester.
- 4. (Original) The composition according to Claim 3, wherein the alkylated benzoic acid ester is selected from the group consisting of methyl benzoic acid ester, ethyl benzoic acid ester, n-propyl benzoic acid ester, isobutyl benzoic acid ester, n-butyl benzoic acid ester, tert-butyl benzoic acid ester, isomers of pentyl benzoic acid ester, isopropyl benzoic acid ester, and combinations thereof.
- 5. (Original) The composition according to Claim 4, wherein the alkylated benzoic acid ester comprises isopropyl benzoic acid ester.
- 6. (Original) The composition according to Claim 1, wherein said composition comprises at least about 50% by weight of an aromatic ester.
- 7. (Original) The composition according to Claim 1, wherein said composition comprises at least about 40% by weight of an aromatic ester.

- 8. (Original) The composition according to Claim 1, wherein the aliphatic ester comprises a fatty acid alkyl ester.
- 9. (Original) The composition according to Claim 8, wherein the fatty acid alkyl ester comprises a fatty acid methyl ester.
- 10. (Original) The composition according to Claim 9, wherein the fatty acid methyl ester comprises biodiesel.
- 11. (Original) The composition according to Claim 1, wherein the cyclic terpene comprises d-limonene.
- 12. (Original) The composition according to Claim 1, wherein said composition comprises at least about 50% by weight of an aliphatic ester.
- 13. (Original) The composition according to Claim 1, wherein said composition comprises at least about 40% by weight of an aliphatic ester.
- 14. (Original) The composition according to Claim 1, wherein the co-solvent comprises a hydrotrope.
- 15. (Original) The composition according to Claim 14, wherein the hydrotrope comprises a diethylene glycol ether.
- 16. (Original) The composition according to Claim 15, wherein the diethylene glycol ether comprises butyl carbitol.
- 17. (Original) The composition according to Claim 1, wherein said composition comprises at least about 10% by weight of a co-solvent.
- 18. (Original) The composition according to Claim 1, wherein the odor-masking agent comprises a fragrance.
- 19. (Original) The composition according to Claim 18, wherein the fragrance comprises a lemon tart fragrance.

- 20. (Original) The composition according to Claim 1, wherein said composition comprises at least about 0.1% by weight of an odor-masking agent.
- 21. (Original) The composition according to Claim 1, wherein the nonionic surfactant comprises an alkoxylated triglyceride.
- 22. (Original) The composition according to Claim 21, wherein the alkoxylated triglyceride comprises an ethyoxylated Castor oil.
- 23. (Original) The composition according to Claim 22, wherein the ethyoxylated Castor oil comprises polyoxyethylene (20) castor oil (ether, ester).
- 24. (Original) The composition according to Claim 1, wherein the nonionic surfactant comprises an alkoxylated amide.
- 25. (Original) The composition according to Claim 24, wherein the alkoxylated amide comprises an alkoxylated hydrogenated tallow amide.
- 26. (Original) The composition according to Claim 25, wherein the alkoxylated hydrogenated tallow amide comprises a polyoxyethylene (13) hydrogenated tallowalkylamide.
- 27. (Original) The composition according to Claim 1, wherein said composition comprises at least about 0.4% of a nonionic surfactant.
- 28. (Original) The composition according to Claim 1, wherein said composition comprises at least about 0.8% of a nonionic surfactant.
- 29. (Original) The composition according to Claim 1, wherein said composition comprises about 50% by weight of an aromatic ester; about 40% by weight of an aliphatic ester; about 10% by weight of a co-solvent; and about 0.1% by weight of an odor-masking agent.
- 30. (Original) The composition according to Claim 1, wherein said composition comprises about 40% by weight of an aromatic ester; about 50% by weight of an

- aliphatic ester; about 10% by weight of a co-solvent; and about 0.1% by weight of an odor-masking agent.
- 31. (Original) The composition according to Claim 1, wherein said composition comprises about 40% by weight of an aromatic ester; about 50% by weight of an aliphatic ester; about 10% by weight of a co-solvent; about 0.1% by weight of an odor-masking agent; and about 0.4% by weight of a nonionic surfactant.
- 32. (Original) The composition according to Claim 1, wherein said composition comprises about 40% by weight of an aromatic ester; about 50% by weight of an aliphatic ester; about 10% by weight of a co-solvent; about 0.1% by weight of an odor-masking agent; and about 0.8% by weight of a nonionic surfactant.
- 33. (Original) A composition according to Claim 1, wherein said composition further comprises water.
- 34. (Original) A composition according to Claim 1, wherein said composition comprises an aqueous solution.
- 35. (Original) The composition according to Claim 34, wherein said composition comprises at least about a 10% aqueous solution.
- 36. (Original) The composition according to Claim 34, wherein said composition comprises at least about a 20% aqueous solution.
- 37. (Original) A composition according to Claim 1, wherein said composition comprises a non-toxic substance.
- 38. (Original) A composition according to Claim 1, wherein said composition comprises a biodegradable substance.
- 39. (Original) The composition according to Claim 1, wherein said composition contains no detectable volatile organic compounds (VOC's) according to EPA Method 8260B Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS).

Application Serial No.: 10/791,427

- 40. (Original) The composition according to Claim 1, wherein said composition has a flash point (closed cup) greater than about 60°C.
- 41. (Original) The composition according to Claim 1, wherein said composition is essentially free of chlorinated solvents, caustics, or acids.
- 42. (Original) The composition according to Claim 1, wherein said composition has a pH of about 7.
- 43. (Original) The composition according to Claim 1, wherein said composition is as least as efficient as diesel fuel for removing petroleum residue from a substrate.

44-104. (Canceled)

Please add the following new claims:

- 105. (New) The composition according to Claim 1, wherein the composition comprises:
 - (a) from about 30% to about 50% by weight of an aromatic ester;
 - (b) from about 40% to about 50% by weight of an aliphatic ester;
 - (c) about 10% by weight of a co-solvent;
 - (d) from 0% to about 10% by weight of a cyclic terpene;
 - (e) from 0% to about 1% by weight of an odor-masking agent; and
 - (f) from 0% to about 20% by weight of a nonionic surfactant.
- 106. (New) The composition according to Claim 105, wherein the composition comprises about 40% isopropyl benzoic acid ester, about 50% biodiesel; and about 10% butyl carbitol.
- 107. (New) The composition according to Claim 105, wherein the composition comprises about 50% isopropyl benzoic acid ester, about 40% biodiesel; and about 10% butyl carbitol.

Application Serial No.: 10/791,427

108. (New) The composition according to Claim 105, wherein the aliphatic ester is a 2-ethylhexyl ester.

- 109. (New) The composition according to Claim 108, wherein the aliphatic ester is selected from the group consisting of 2-ethylhexyloleate, 2-ethylhexyladipate, 2-ethylhexylsterate, and 2-ethylhexylsuccinate.
- 110. (New) A water-soluble composition for removing petroleum residue from a substrate, said composition comprising:
 - (a) from about 10% to about 60% by weight of an aromatic ester;
 - (b) from about 30% to about 60% by weight of an aliphatic ester;
 - (c) from 0% to about 15% by weight of a co-solvent;
 - (d) from 0% to about 10% by weight of one of a cyclic terpene and a terpenoid;
 - (e) from 0% to about 1% by weight of an odor-masking agent; and
 - (f) from 0% to about 20% by weight of a nonionic surfactant,

wherein the composition is readily biodegradable, is at least as efficient as diesel fuel for removing the petroleum residue from the substrate, has a flash point of at least 60°C, comprises no trace amounts of Volatile Organic Compounds (VOCs) above the limits disclosed in Method 8260B of the Environmental Protection Agency (EPA), and is non-corrosive with respect to the substrate.